

UX Style Guide

- 1 Color palette
 - 1.1 MAIN COLORS
 - 1.2 NEUTRAL COLORS
 - 1.3 UTILITY COLORS
 - 2 Icons
 - 2.1 EXCEPTIONS
 - 3 Typography
 - 4 Content and Language
 - 4.1 CAPITALIZATION & PUNCTUATION
 - 4.2 DATA FORMATS
 - 4.3 LANGUAGE
 - 5 Layout
 - 5.1 LAYOUT LAYERING
 - 5.2 TOP NAVIGATION BAR
 - 5.3 LEFT NAVIGATION PANEL
 - 5.4 FOOTER
 - 5.5 CONTENT AREA
 - 6 Expansion Cards
 - 7 Data tables
 - 7.1 TABLE FILTERING
 - 7.2 COLUMN SORTING
 - 7.3 PAGINATION
 - 7.4 ADDING RECORDS
 - 7.5 REMOVING RECORDS
 - 7.6 IN-TABLE EDITING
 - 7.7 TABLE TABS
 - 7.8 TABLE TYPOGRAPHY
 - 8 Buttons
 - 8.1 FLAT TEXT BUTTONS
 - 8.2 SMALL ACTION BUTTONS
 - 8.3 MAIN ACTION BUTTONS
 - 8.4 SECONDARY ACTION BUTTONS
 - 9 Forms
 - 10 Indication
 - 10.1 TAGS
 - 10.2 PROGRESS
 - 10.3 ACTIVITY
 - 10.4 STEPPER
 - 11 Modals
 - 11.1 EDITING DETAILS IN MODALS
 - 11.2 DIALOGS
 - 12 Messages
 - 12.1 ERROR MESSAGES IN FORMS
 - 12.2 ERROR MESSAGES AS PART OF PROCESSES
 - 12.3 SYSTEM MESSAGES
 - 12.4 NOTIFICATIONS
 - 12.5 TOOLTIPS
 - 13 Lists
 - 14 Tabs
 - 14.1 PAGE TABS
 - 14.2 TABLE TABS
-





Color palette


MAIN COLORS



23669A PrimaryBlue	528EBD SecondaryBlue	5D86A1 TerciaryBlue	A3BECF SupplementalBlueGray	D8E1E7 SupplementalShadingBlue Gray
------------------------------	--------------------------------	-------------------------------	---------------------------------------	---

NEUTRAL COLORS


			
002835 DarkBlueGreen	FFFFFF White	C3B795 Tan	F2EDDF LightTan

				
45454A Charcoal	9B9B9B Gray	C0C0C0 LightGray	E1E1E1 LightGrayShading1	EDEDED LightGrayShading2


UTILITY COLORS

			
F14B52 Grapefruit	758236 Green	43B0AB Turquoise	003E5E NavyBlue

OVERLAY COLOR


002835 @65% Dark Overlay

Icons



Enabled Icons Behavior:

- Regular icon is displayed with 70% opacity
- On hover/active icon is displayed with 100% opacity

Disabled icons general behavior:

- opacity: 0.5;
- Cursor: none
- No hover state
- Title tooltip available
- Icon is disabled if action may not be performed (we are on the 1st page in a table or no pagination available)

Icons.zip

Downloadable icons archive

EXCEPTIONS



Top Icon general behavior:

- center aligned within the content area
- Only invoked if the scrolling area reached Nx2 where N is the browser window height.
- bottom-aligned to the end of the screen
- floating with scrolling
- margin-bottom: 10px;

Top Icon normal state:

border:1px solid \$NavyBlue;
border-radius:25px;
width:48px;
height:48px;
background: \$White;

font-family:Roboto-Medium;
font-size:12px;
color:\$NavyBlue;
letter-spacing:0;
text-align:center;
margin-top: 5px;
text-transform: Uppercase;

Arrow Icon:

24x15

color:\$NavyBlue;



Top Icon hover/active state:

border-radius:25px;
width:50px;
height:50px;
background: \$NavyBlue;

font-family:Roboto-Medium;
font-size:12px;
color:\$White;
letter-spacing:0;
text-align:center;
margin-top: 5px;
text-transform: Uppercase;

Arrow Icon:

24x15

color:\$White;

Typography

<h2>H2 Page Header</h2>	<pre>font-family: Roboto-Regular; font-size: 36px; color: \$NavyBlue; letter-spacing: 0; text-align: left;</pre>
<h3>H3 Page Sub Header</h3>	<pre>font-family: Roboto-Regular; font-size: 26px; color: \$PrimaryBlue; letter-spacing: 0; text-align: left;</pre>
<h4>TEXT - H4</h4>	<pre>font-family:Roboto-Regular; font-size:18px; color:\$NavyBlue; letter-spacing:1.5px; text-align:left; text-transform: uppercase;</pre>
<p> Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec rhoncus auctor dui ac tempus. Etiam et lacinia odio. Praesent condimentum est ut pellentesque ornare. Sed sagittis mollis ornare. Suspendisse pulvinar convallis posuere. Aliquam erat volutpat. Nunc ut lacus non mauris dapibus sodales. Sed at imperdiet odio. Duis malesuada quis est at viverra. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Ut pharetra placerat efficitur. Integer leo urna, pharetra vitae orci eu, posuere viverra nunc. Sed rutrum ac dolor et rhoncus. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos.</p> <p> Proin a pharetra quam. Vivamus faucibus elementum volutpat. Phasellus nec tellus diam. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Pellentesque vulputate tempor odio, at posuere sapien bibendum et. Aliquam nec nisi at sem dapibus rutrum facilisis id tortor. Quisque sagittis hendrerit est, at luctus magna mollis sit amet. Morbi sed scelerisque lectus, non luctus felis. Sed vehicula, tellus non auctor suscipit, diam ligula imperdiet diam, et congue ante purus eget arcu. In mauris ligula, pharetra ut dapibus eu, mattis ac elit.</p>	<pre>font-family: Roboto-Regular; font-size: 16px; color: \$DarkBlueGreen; letter-spacing: 0; line-height: 25px; text-align: left;</pre>
Link Text Regular	<pre>font-family:Roboto-Regular; font-size:16px; color:\$PrimaryBlue; letter-spacing:0; text-align:left; text-decoration: underlined;</pre>
Link Text Hover	<pre>font-family:Roboto-Regular; font-size:16px; color:\$NavyBlue; letter-spacing:0; text-align:left; text-decoration: underlined;</pre>
Breadcrumbs Current Page	<pre>font-family:Roboto-Regular; font-size:14px; color:\$DarkBlueGreen; line-height:20px;</pre>
Breadcrumbs Link	<pre>font-family:Roboto-Regular; font-size:14px; color:\$PrimaryBlue; line-height:20px;</pre>

Content and Language

CAPITALIZATION & PUNCTUATION

Sentence-style caps

Titles, headings, labels, and menu items should use sentence-style capitalization (capitalizing only the first word of a sentence).

Avoid capitalizing all letters except where the Material spec requires them, such as Button text.

Periods

Avoid using periods in solitary sentences in these elements:

- Labels
- Hover text
- Bulleted lists
- Dialog body text

Periods should be used on:

- Multiple sentences
- Any sentence followed by a link

Colons

Skip colons after labels.

Exclamation points

Avoid exclamation points as they tend to come across as shouting. Some exceptions include greetings or congratulatory messages.

DATA FORMATS


Time	Within the current day, display the time using uppercase AM or PM, without periods.	2:00 PM
Month, day, and year	Within the current calendar year, display the date without the year. Otherwise, display the date and year.	January 14 14 January 2012
En dash	Separate a range of dates or times with an en dash, without spaces. Add spaces when spelling out months, or to remove ambiguity.	8:00 AM–12:30 PM 6 Jan – 2 Feb
Year	Show the year on both the start and end, unless both dates have the current year.	Dec 6, 2013–Jan 2, 2014 January 4–6, 2014
AM/PM	Use a single AM or PM at the end of the range, if both times have the same AM/PM.	8:00–10:30 AM
Single-digit hours	Remove the leading 0 for single digit hours.	UTC+5:00
Single times zones	Use two-letter time zones when referring to a single time zone. Remove the S (for Standard) or D (for Daylight).	Open 4–10 PM ET
Future	Include time to a future day or date.	10 Jan, 08:00
Past	When referring to a past time, display both date and time.	Reminded Jan 5, 7:16 AM

LANGUAGE

Read more in [Sailfish Platform Terminology/ Nomenclature - Top Terms](#).

Layout

LAYOUT LAYERING




Level 1: Top navigation

Level 2: Footer

Level 3: Left navigation
Footer

Level 4: Content

TOP NAVIGATION BAR



Top navigation bar:



- Level: 1
- Width: dynamic, 100%
- Content is vertically centered

Top nav bar specs (opacity applies only to background color) - bar should be transparent, but the bar content should not:

```
background:$NavyBlue;
opacity:0.8;
box-shadow:0 4px 4px 0 rgba(0,0,0,0.30);
min-width: 1200px;
height:60px;
```

Logo specs:

- Logo height: 26px
- HTML: H1



Top nav menu specs:

HTML: Unordered List

```
font-family:Roboto-Regular;
font-size:16px;
```

Company/Brand name specs:

```
font-family:Roboto-Medium;
```

Top nav menu link:


```
text-decoration: none;
color: $SupplementalBlueGray;
```

Top nav menu link hover:

```
text-decoration: underline;
color: $White;
```

Top nav menu plain text:

```
color: $White;
```

Top nav brand switch dropdown

Top nav brand switch dropdown list specs can be found in [Non-form dropdown](#).

See detailed [Search functionality](#) in a corresponding Use Case.

LEFT NAVIGATION PANEL



Left navigation panel specs:

- Level 3
- Width: 250px, fixed
- Background color: \$NavyBlue
- Shadow: X 4, Y 0, Blur 4, \$Charcoal, Opacity 30%
- Background Gradient: Spherical from #658198 to \$NavyBlue
- Gradient spread down to the bottom edge of the menu
- Horizontal padding is 30px
- Margin between icon and menu link text is 10px

Icons specs:

- Size inside the circle is 24x24px (See detailed [Icons specifications](#))
- Vertical margin between icons - 40px
- Menu item area height is 80px
- HTML: Unordered list


Icon circle:

border:1px solid \$White;
width:38px;
height:38px;
border-radius:19px;

Menu item text specs:


font-family:Roboto-Medium;
font-size:15px;
color:\$White;
letter-spacing:1px;
text-align:center;

Gradient spread
on just the
height of the
space occupied
by the menu




Left navigation gradient specs:

- Background Gradient: Spherical from #658198 to \$NavyBlue
- Gradient spread down to the bottom edge of the menu



Active area: 250x80px

font-family:Roboto-Medium;
font-size:15px;
color:\$White;
letter-spacing:1px;
text-align:left;
opacity: 0.8;



Menu hover/selected state:

- Height: 80px, fixed
- Background Color: \$NavyBlue, Opacity 70%

font-family:Roboto-Medium;
font-size:15px;
color:\$White;
letter-spacing:1px;
text-align:left;
opacity:1;

FOOTER



Footer specs:

- Level 3

min-width:1200px;
width: 100%;
background color: \$NavyBlue;
color:\$White;
padding:50px;
text-align:left;


Footer linked text/separator:

text-decoration: none;
color: \$SupplementalBlueGray;

Footer linked text hover:

text-decoration: underlined;
color:\$White;


CONTENT AREA



Content area specs:

- Level 4
- Width: dynamic, responsive
- Background color: \$White
- Content is left aligned unless specified otherwise
- Content padding is 30px
- Margin between breadcrumbs and next element (header or tags) is 30px
- Margin between breadcrumbs text and separators is 10px
- Margin between tag and page title (H2) is 30px
- Margin between first content element after the title (card or table) and action text button is 20px;
- Margin between vertically placed elements is 30px

Expansion Cards



Used to:

- to separate blocks of content into logical groups on longer pages
- to separate various data tables presented on the same page when more than one table is present
- Arrow icon is an "expand-collapse" toggle.

General specs:

- Width: dynamic, 100% within content area considering content area padding.
- Icon default opacity 70%
- Icon on hover/on click opacity is 100%.
- If there are action buttons in the card, vertical margin between last elements and action buttons is 30px.
- If there are no action buttons, bottom padding is calculated between the bottom edge of the last element and card bottom edge.

border-radius:2px;
background:\$LightGrayShading2;
padding: 30px;

Active (on focus, selected) card specs:

border:1px solid \$Charcoal;
box-shadow:8px 8px 8px 0px rgba(0,0,0,0.3);

Active card header specs:

background:\$TerciaryBlue;
border-radius:2px;
padding: 10px 20px 10px 30px;
height:50px;

font-family:Roboto-Regular;
font-size:18px;
color:\$White;
letter-spacing:1.5px;
text-align:left;
text-transform: uppercase;

Inactive card header specs:

background:\$TerciaryBlue;
border-radius:2px;
padding: 10px 20px 10px 30px;
height:50px;

font-family:Roboto-Regular;
font-size:18px;
color:\$NavyBlue;
letter-spacing:1.5px;
text-align:left;
text-transform: uppercase;

KITS (16) 

Card header details (in brackets) specs:

font-family:Roboto-Regular;
font-size:18px;
letter-spacing:1.5px;
text-align:left;
margin-left: 10px;

Active card header details:

color:\$White;

Inactive card header details:

color:\$SecondaryBlue;

Collapsed card specs:

- Collapsed card shrinks to the header height (50px) and retains card border:


background:\$LightGrayShading1;
border:1px solid \$Gray;
box-shadow:2px 2px 2px 0px rgba(0,0,0,0.3);
border-radius:2px;
height:50px;

Active card:

background:\$TerciaryBlue;

inactive card:

background:\$LightGrayShading1;

PRODUCT HEADER 				
Single item price <u>\$45.99</u>	SKUs <u>16</u>	Catalogs <u>12</u>	Kits <u>24</u>	Subscriptions <u>4</u>
Qty <u>123</u>	Market regions <u>2</u>	Money Back Guarantee <u>30-Day</u>	Activation Date <u>01.21.18</u>	Last Updated Date <u>01.21.18</u>

Item header:

- Generally acts like a regular expansion card, with the exception of displaying a grid with quick stats.
- Based on BRD, some numbers are represented as links to related area on the page.

Example: Link "Catalogs" the Product Header on the Product page will link to a corresponding collapsible card where all catalogs are listed.

- Minimum 4 columns in the header
- Maximum 5 columns in the header
- Maximum 2 rows in header
- If under 5 stats blocks in the header, list in one row
- If more than 5, list in two rows
- Number of Stats items may be:
 - one row: 4, 5;
 - two rows: 8, 10;
- Dedicate even % to each stat block
- All content is centered
- May contain buttons
- HTML: Definition list

logs	Kits	Subscriptions
2	24	4
Guarantee	Activation Date	Last Updated Date
Day	01.21.18	01.21.18

Item header specs:

Header label

font-family:Roboto-Regular;
font-size:18px;
color:\$NavyBlue;
text-align:center;

Header Value

font-family:Roboto-Regular;
font-size:36px;
color:\$SecondaryBlue;
text-align:center;

Header value link

font-family:Roboto-Regular;
font-size:36px;
color:\$PrimaryBlue;
text-align:center;
text-decoration: underlined;

Header value link hover

font-family:Roboto-Regular;
font-size:36px;
color:\$NavyBlue;
text-align:center;

logs	Kits	Subscription Offers
18	167	43
ATALOG	+ ADD KIT	+ ADD SUBSCRIPTION

Item header with buttons:

- Only one row allowed
- Only 36 px height secondary buttons are allowed in Item Headers
- Vertical margins change if buttons are added

type	Price (USD)	Remove
uct	\$15.99	X

In Card flat action button:

- When Action pertains to data displayed in the particular card, flat action button is displayed within a card above the data table.
- Used to initiate adding relative items
- Formatting - flat buttons.

TBD

"Help" expansion cards:

Height is dynamic based on the length of the question.

background: \$White;
border: none;

"Help" expansion cards header:

padding: 25px 20px 25px 30px;

font-family:Roboto-Regular;
font-size:18px;
letter-spacing:1.5px;
text-align:left;

Data tables

Added	Catalog ID	Catalog Description	Price
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99

General specs:

- Width: dynamic, 100% within content or card area considering content area or card padding.
- Three or more columns of data
- Border:1px solid \$Gray
- Dividers:1px solid \$Gray
- Header row height: 100px
- Table row height: 60px
- No vertical cell borders
- Table column padding is recommended 56dp, minimum 10dp
- No horizontal scrolling allowed.

Text alignment:

- Right-aligned numeric columns
- Left-aligned text columns

Long header titles:

Sometimes, column names don't fit in a container with the recommended 56dp of padding in between columns. There are two options to handle this:

- Display the full column name and enable horizontal scrolling in the table container
- Shorten the column name appending ellipses (...) at the end of the shortened name and display it in full on hover.

Added	Catalog ID	Catalog Description	Price
<input checked="" type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	\$15.99

10 19 of 9 < >

Row Hover

- background:\$LightGrayShading1;

TABLE FILTERING

Added	Catalog ID	Catalog Description	Item Type	Price
<input checked="" type="checkbox"/>	ABZGD2	Description 1		\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	Kits	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	Kits	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	Kits	\$15.99


Added	Catalog ID	Catalog Description	Item Type	Price
Filter by ▾			Filter by ▲	Filter by ▾
<input checked="" type="checkbox"/>	ABZGD2	Description 1	Kits	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	Products	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	Kits	\$15.99
<input checked="" type="checkbox"/>	ABZGD2	Description 1	Kits	\$15.99

Table Filter:

- To expand a filter row, click on filter icon.
- To hide a filter row, click filter icon again.
- Expand dropdown to select filtering parameters
- On click select, row gets filtered

Table Filter Row

- height 60px
- cursor - hand



Non-form dropdown behavior:

- Menus show a persistent scroll bar when content is scrollable. The maximum height of a dropdown list should be one or more rows less than the view height.
- In the table, minimum width of the dropdown equals the column width
- Dropdown opens on click on default row, not just the icon
- Opened list width: dynamic based on the longest value
- Minimum width of the opened list equals the width of the collapsed field
- When opened, the currently selected menu item is highlighted. Don't duplicate the selected menu item.
- Selection is triggered on click on the row with desired item
- When there is an option already selected, on expansion, dropdown list is scrolled to the selected option in the list.
- If selection (click on desired option) triggers an action and user selects an already selected option, action is not triggered.
- Even for numerical value in tables, opened dropdown list is always left-aligned.

Non-form dropdown list:

```
border:1px solid $Gray;
padding-left: 20px;
padding-top: 14px;
padding-right: 20px;
```

Non-form dropdown item (text value):

```
height:45px;
font-family:Roboto-Regular;
font-size:16px;
color:$DarkBlueGreen;
opacity: .8;
text-align: left;
```

Non-form dropdown hover row:

```
background:$LightGrayShading1;
color:$DarkBlueGreen;
opacity: 1;
```

Non-form dropdown scrollbar:

```
background:$LightGrayShading1;
width: 3px;
height: 45px;
```

COLUMN SORTING

Added	↑ Catalog ID	Catalog Description	Price
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99

Added	↓ Catalog ID	Catalog Description	Price
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99

Column Sorting:

- To activate sort, click on column header
- On click, sorting arrow appears on the left of the column header
- If the user clicks on a column that is already sorted, reverse the sort order and rotate the sort icon.
- On first click, column is sorted in alphabetical order, A-Z
- On second click, column is sorted in alphabetical order, Z-A
- Content remains sorted till page reload or sorting being initiated in another column
- If table search is triggered, table data reloads, sorting is removed

Search

Search by text

Product Type

Single Fixed Bundle Choice Bundle

Collateral VAS

Status

Active Published Inactive

<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99

10 ▾ 19 of 19 < >

TBD

Showing single products and kits in all subscriptions. [Clear](#)

Added	Catalog ID	Catalog Description	Price
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99

10 ▾ 19 of 19 < >

TBD

PAGINATION

<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
			10 ▾ 1-10 of 19 < >

<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
			10 ▾ 1-10 of 19 < >

<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
<input checked="" type="checkbox"/>	AB7GD2	Description 1	\$15.99
			10 ▾ 11-19 of 19 < >

Pagination

- 10 items are displayed per page
- User may select 10/25/50 items to display per page
- Items count is displayed to the left of the pagination arrow controls
- If less than 10 items are displayed in the table, pagination arrow controls are disabled, opacity 50%
- If user is viewing any page other than first or last, both pagination arrow controls are enabled, opacity 80%
- If user is on the first page with more pages available, left arrow control is disabled, opacity 50%, right arrow control is enabled, opacity 70%
- If user is on the last page with one more pages available, left arrow control is enabled, opacity 80%, right arrow control is disabled, opacity 50%
- Sorting and filtering are retained through pagination
- Hover state of pagination arrows is 100%

ADDING RECORDS

TBD

REMOVING RECORDS

...	\$15.99	
Product	\$15.99	
Product	\$15.99	
Kit	\$15.99	Delete product from Catalog

Behavior:

- Where in tables there is a "Remove" column, items may be removed from the Catalog/Kit/Box.
- This action will not affect single item.
- On hover over the Remove icon, the icon highlights from 70% opacity to 100% opacity, cursor changes and tooltip "Remove product from <>" where <> is current Catalog, Kit, or Box.
- On Click, user sees a confirmation dialog.
- On confirmation, item gets deleted from

See [confirmation dialog specs](#).

IN-TABLE EDITING

Product	\$15.99	✕
Product	\$15.99	✕
Kit	Click to edit price	✕
Product	\$15.99	✕
Product	\$14.99	✕
Kit	\$15.99	✕

Behavior:

- Price will be editable in table view.
- Price edit relates only to current price type: If price is edited in Catalog view, it is only changed for the current catalog. Same for Kits and Subscriptions.
- On hover over the price value in table view, cursor changes to hand and tooltip appears: "Click to edit price"
- On click value converts into a field with a default currency sign (not editable) and cursor on the right of the price value.
- User may backspace to erase or double-click to select value (currency sign doesn't get selected or erased) and input a new value.
- Validation: if no punctuation is entered, input value is considered as full dollar price
 - **Example:** If 299 is entered, on save the price will appear as \$299.00
- On enter or click outside the field area, new values is set
- If previous value was erased and a new value is entered, on enter or on click outside of the field, editing is cancelled and previous value is displayed.

Product	\$15.99	✕
Product	\$14.99	✕
Kit	\$15.99	✕

1-9 of 9 < >

CANCEL SAVE

40px

10px

Column width

Field:

background:\$White;
border:1px solid \$DarkBlueGreen;
text-align:left;
height:38px;





TABLE TABS






<p>PRICES (USD) PRICES (CAD)</p> <p>Item ID Item title</p>	<p>Inactive tab header:</p> <p>font-family:Roboto-Medium; font-size:13px; color:\$NavyBlue; letter-spacing:1px; text-align:center; text-transform: uppercase; margin-bottom: 17px;</p> <p>Active tab header (and hover state):</p> <p>font-family:Roboto-Medium; font-size:13px; color:\$PrimaryBlue; letter-spacing:1px; text-align:center; text-transform: uppercase; margin-bottom: 17px;</p> <p>Active Header underline:</p> <p>height:3px; color:\$PrimaryBlue; margin-bottom:0px; text-align:center; text-transform: uppercase;</p>
--	--

TABLE TYPOGRAPHY

<p>Catalog ID</p>	<p>Table Column Header:</p> <p>font-family:Roboto-Medium; font-size:20px; color:\$DarkBlueGreen; letter-spacing:0; text-align:left;</p>
<p>Table - Value</p>	<p>Table simple value:</p> <p>font-family:Roboto-Regular; font-size:16px; color:\$DarkBlueGreen; letter-spacing:0; text-align:left;</p>
<p>AB7GD2</p>	<p>Table linked value:</p> <p>font-family:Roboto-Regular; font-size:16px; color:\$PrimaryBlue;</p>
	<p>Table indicator tags overwrites:</p> <p>font-size:10px; letter-spacing:1px; min-width: 85px; padding-left: 15px; padding: right: 15px;</p> <p>Background color changes per status. See Tags section.</p>
<p>1-9 of 9 < ></p>	<p>Table Pagination:</p> <p>font-family:Roboto-Regular; font-size:14px; color:\$DarkBlueGreen; letter-spacing:0; text-align:right;</p>

Buttons

FLAT TEXT BUTTONS		
<p>NORMAL</p>	<ul style="list-style-type: none"> Used for system dialog modals Margin between buttons is 30px 	<p>font-family:Roboto-Medium; font-size:13px; color:#PrimaryBlue; letter-spacing:1px; text-align:center;</p>
		<p>Padding: 9px 15px; height: 27px; background-color: \$SupplementalShadingBlueGray; border-radius:20px; font-family:Roboto; font-weight: 400; font-size:13px; color:\$PrimaryBlue; letter-spacing:1px; text-align:center; text-transform: uppercase;</p> <p>Opacity: 1;</p>
<p>DISABLED</p>		<p>opacity:0.5; font-family:Roboto-Medium; font-size:13px; color:\$DarkBlueGreen; letter-spacing:1px; text-align:center;</p>
SMALL ACTION BUTTONS		
	<ul style="list-style-type: none"> Used for table/item header actions Margin between buttons is 30px 	<p>Small Button Normal:</p> <p>Padding: 9px 15px; height: 27px; background-color: \$SupplementalShadingBlueGray; border-radius:20px; font-family:Roboto; font-weight: 400; font-size:13px; color:\$PrimaryBlue; letter-spacing:1px; text-align:center; text-transform: uppercase;</p> <p>Opacity: 0.8;</p>
		<p>Small Button Hover and Clicked:</p> <p>Opacity: 1;</p>
		<p>Small Button Disabled:</p> <p>Opacity: 0.5;</p>
MAIN ACTION BUTTONS		

	<ul style="list-style-type: none"> • Used for main action on the page like "Save" • If there are more than one equally important buttons, such as "Approve", "Reject" - use Secondary buttons • Buttons width is dynamic based on the value length + padding. • Margin between buttons is 30px • Buttons priority will be use case specific 	<p>Main Button Normal:</p> <p>opacity: 1;</p> <p>background:\$SecondaryBlue; box-shadow:2px 2px 2px 0 rgba(0,0,0,0.50); border-radius:25px; min-width:200px; height:40px; padding-left: 20px; padding-right: 20px;</p> <p>font-family:Roboto; font-size:16px; color:\$White; letter-spacing:2px; text-align:center; text-transform: uppercase;</p> <p>font-weight: 400;</p>
		<p>Main Button Hover and Clicked:</p> <p>Opacity: 1;</p> <p>background:\$PrimaryBlue; box-shadow:2px 2px 2px 0 rgba(0,0,0,0.50); border-radius:25px; min-width:200px; height:40px; padding-left: 20px; padding-right: 20px;</p> <p>font-family:Roboto-Bold; font-size:16px; color:\$White; letter-spacing:2px; text-align:center; text-transform: uppercase;</p> <p>font-weight: 400;</p>
		<p>Disabled Main Button</p> <p>Opacity 0.5</p>
<p>SECONDARY ACTION BUTTONS</p>		
	<ul style="list-style-type: none"> • Used for all other action buttons on the page. Used for equally important buttons. • May be used with 36px height within cards. • Buttons that belong to the same group must be same size. • Buttons width is dynamic based on the value length + padding. • Margin between buttons is 30px 	<p>Secondary Normal:</p> <p>opacity: .8;</p> <p>background:\$SupplementalShadingBlueGray; box-shadow:2px 2px 2px 0 rgba(0,0,0,0.50); border-radius:25px; height:40px; padding-left: 20px; padding-right: 20px;</p> <p>font-family:Roboto-Bold; font-size:16px; color:\$PrimaryBlue; letter-spacing:2px; text-align:center; text-transform: uppercase;</p>
		<p>Secondary Button Hover and Clicked:</p> <p>opacity: 1;</p>

SECONDARY



Disabled Secondary Button:

opacity: .5;

Forms

	<p>General specs:</p> <ul style="list-style-type: none">• Width: dynamic, 100% within content or card area considering content or card area padding.• Header text fields, text areas, radio buttons, checkbox selections take full width• Shorter fields such as short text fields, dropdowns, toggle switches take 30% of the screen with 50px margin between them. <p>Default Field border:</p> <p>border:1px solid rgba(0,40,53,0.50);</p> <p>Default On Hover/Active:</p> <p>border:1px solid \$DarkBlueGreen;</p>
<p>Market regions*</p>	<p>Field Label:</p> <p>font-family:Roboto-Medium; font-size:14px; color:\$PrimaryBlue; letter-spacing:1px;</p> <p>Required Field has asterisk.</p>
<p>Text Field Value</p>	<p>Field Value:</p> <p>Applicable to text field, text area, dropdown, checkbox</p> <p>font-family:Roboto-Regular; font-size:18px; color:\$DarkBlueGreen; letter-spacing:0; text-align:left;</p>
	<p>Text Field:</p> <p>background:\$White; border:1px solid rgba(0,40,53,0.50); height:43px; PaddingL 10px 20px;</p>
	<p>Text Field - Monetary:</p> <p>font-family:Roboto-Regular; font-size:20px; color:rgba(0,40,53,0.50); letter-spacing:0; text-align:left;</p>

<div style="background-color: #e0e0e0; padding: 5px; border: 1px solid #ccc;">Read Only Field</div>	<p>Text Field - Read Only:</p> <pre>background:\$LightGrayShading2; border:1px solid rgba(0,40,53,0.50); height:43px;</pre>
<div style="border: 1px solid #ccc; padding: 5px; min-height: 100px;">Text Area Value</div> <p style="text-align: right; font-size: small;">2000 characters</p>	<p>Text Area:</p> <pre>background:\$White; border:1px solid rgba(0,40,53,0.50); width:100%; height:103px;</pre> <p>Character Limit:</p> <pre>font-family:Roboto-Regular; font-size:14px; color: \$DarkBlueGreen; margin-top:5px; text-align:right;</pre>
<div style="border: 1px solid #ccc; padding: 5px; display: flex; justify-content: space-between; align-items: center;"> Dropdown ▼ </div>	<p>Dropdown behavior:</p> <ul style="list-style-type: none"> • Menus show a persistent scroll bar when content is scrollable. The maximum height of a dropdown list should be one or more rows less than the view height. • Dropdown opens on click on default row, not just the icon • Opened list width: dynamic based on the longest value • Minimum width of the opened list equals the width of the collapsed field • When opened, the currently selected menu item is highlighted. Don't duplicate the selected menu item. • Selection is triggered on click on the row with desired item • When there is an option already selected, on expansion, dropdown list is scrolled to the selected option in the list. • If selection (click on desired option) triggers an action and user selects an already selected option, action is not triggered. <p>Dropdown:</p> <pre>background:\$White; border:1px solid rgba(0,40,53,0.50); height:43px;</pre>



Dropdown list:

border:1px solid \$DarkBlueGreen;
padding-left: 20px;
padding-top: 13px;
padding-right: 20px;

Dropdown list item:

height:45px;
font-family:Roboto-Regular;
font-size:18px;
color:\$DarkBlueGreen;

Dropdown list hover row:

background:\$LightGrayShading1;

Dropdown list scroll bar:

background:\$LightGrayShading1;
width: 3px;
height: 45px;



Radio Button Behavior:

- Radio buttons are inline and left aligned.
- Minimum Radio buttons: 2.
- If it's a Yes/No field (flag), use On/Off toggle switch
- Maximum buttons in Radio box list: 5.
- If more than 5 buttons, present as dropdown.
- Radio button selection is mutually exclusive (may not select more than one)
- When one option is selected, if different option is selected, the original selection becomes deselected.
- If Radio buttons take more than one line, they wrap maintaining 10px margin between lines.
- HTML: Unordered list

Common Specs:

font-family:Roboto-Medium;
font-size:16px;
letter-spacing:2px;
text-align:center;
text-transform: uppercase;









Selected Radio Button:

width:200px;
height:45px;
background:\$Turquoise;
color:\$White;














Non-selected Radio Button:

border:2px solid rgba(0,40,53,0.50);
width:196px;
height:41px;
background:\$White;
color:\$DarkBlueGreen;

	<p>Check Box Behavior:</p> <ul style="list-style-type: none"> • Checkbox options are inline and left aligned. • Checkbox options form 3 columns from left to right. • If Checkbox options take more than one line, they wrap maintaining 10px margin between lines. • Minimum options in Checkbox list: 2. • If it's a Yes/No field (flag), use On/Off toggle switch • No maximum • Checkbox selection is mutually inclusive (may select more than one) <p>Common Specs:</p> <p>margin-right: 10px;</p> <p>font-family:Roboto-Regular; font-size:18px; color:\$DarkBlueGreen; letter-spacing:0; text-align:left;</p>
 <p>Region 1</p>	<p>Selected Checkbox:</p> <p>background:\$Turquoise; width:45px; height:45px;</p> <p>Icon color: \$White;</p>
 <p>Region 2</p>	<p>Non-selected Checkbox:</p> <p>border:1px solid rgba(0,40,53,0.50); background:\$White; border:2px solid \$Gray; width:41px; height:41px;</p>
	<p>On/Off Toggle Switch Behavior:</p> <ul style="list-style-type: none"> • On/Off switch is only used as flag, if options are only Yes/No • This control is only used if selection modifies possible scenario. • Value of the field is identified in the field label. <p>Common Specs:</p> <p>width:80px; height:45px; border-radius:25px; padding: 5px;</p> <p>Switch Ball:</p> <p>background:\$White; border-radius:35px; width:35px; height:35px;</p>
	<p>background:\$Turquoise;</p>
	<p>background:\$Gray;</p>
<p>TBD</p>	<p>date, time pickers</p>


Indication

TAGS	
Configuration Status	
    	Configuration Status Tag Common Parameters: border:none; height:25px; min-width:120px; padding-left: 20px; padding: right: 20px; font-family:Roboto-Medium; font-size:12px; color:\$White; letter-spacing:2px; text-align:center; text-transform: uppercase;
	Draft: background:\$Tan;
	Discarded: background:\$Gray;
	Pending: background:\$TertiaryBlue;
	Approved: background:\$Green;
	Review: background:\$Grapefruit;
Operational Mode	
	Operational Mode Tag: background:\$White; border:2px solid \$DarkBlueGreen; height:21px; min-width:120px; padding-left: 20px; padding: right: 20px; font-family:Roboto-Medium; font-size:12px; color:\$NavyBlue; letter-spacing:2px; text-align:center; text-transform: uppercase;
PROGRESS	
	TBD

ACTIVITY	
	TBD
STEPPER	
	TBD

Modals

EDITING DETAILS IN MODALS



Typography:

- Header: H4
- Text: paragraph
- Buttons: flat text buttons


Dialog card specs:

border: 1px solid \$Charcoal;
 box-shadow: 8px 8px 8px 0px rgba(0,0,0,0.3);
 background: \$White;
 border-radius: 2px;
 padding: 30px;

Lightbox overlay:

background: \$DarkBlueGreen @65%

DIALOGS



Typography:

- Header: H4
- Text: paragraph
- Buttons: flat text buttons

Dialog card specs:

border: 1px solid \$Charcoal;
 box-shadow: 8px 8px 8px 0px rgba(0,0,0,0.3);
 background: \$White;
 border-radius: 2px;
 padding: 30px;

Lightbox overlay:

background: \$DarkBlueGreen @65%

Messages

ERROR MESSAGES IN FORMS

The screenshot shows a form titled 'ITEM DETAILS (PRODUCT)'. It contains several fields and controls:

- Item ID:** A text input field with a red border and the error message 'Item ID is required' below it.
- Inventoried:** A toggle switch that is currently turned on.
- Subscription product:** A toggle switch that is currently turned on.
- Item type*:** A group of five buttons: 'PRODUCT', 'SHIPPER', 'PACKAGING', 'COLLATERAL', and 'VAS'. The 'PRODUCT' button has a red border and the error message 'Item type is required' below it.
- Market regions*:** A group of six checkboxes, each labeled 'Region 2'. The first checkbox has a red border and the error message 'Market regions is required' below it.
- Maximum items per order*:** A dropdown menu with 'Region 2' selected. It has a red border and the error message 'Maximum items per order is required' below it.

General behavior:

- Error message takes full length of the field where error occurred
- If error message takes only one line, below items don't get moved down.
- If error message takes more than one line, 30px margin to the next item is calculated starting from the bottom of the error message
- Items with border change border color to red
- Provided field value color doesn't change

Common Field Specs:

border:1px solid \$Grapefruit;

Error message Specs:

font-family:Roboto-Regular;


font-size:14px;

color:\$Grapefruit;

text-align:left;

margin-top: 5px;

ERROR MESSAGES AS PART OF PROCESSES



General behavior:

- If an error happens as a part of a process and no form is displayed, error message is formatted as a paragraph
- Within pages with all content center aligned, copy is also center aligned.

Error message Specs (center aligned):

font-family:Roboto-Regular;

font-size:16px;


color:\$Grapefruit;

letter-spacing:0;

line-height:25px;

text-align:center;

margin: 30px 0px;



Error message specs (left aligned):

font-family:Roboto-Regular;
 font-size:16px;
 color:\$Grapefruit;
 letter-spacing:0;
 text-align:left;
 margin: 30px 0px;

SYSTEM MESSAGES




System message specs (left aligned):

font-family:Roboto-Regular;
 font-size:16px;
 color:\$Green;
 letter-spacing:0;
 text-align:left;
 margin: 30px 0px;

NOTIFICATIONS

TOOLTIPS



Tooltip behavior:

- Tooltip represents Title a Alt attributes (Browser tooltips are converted into app tooltips)
- Tooltip appears on hover on the following items:
 - Text headers
 - Links
 - Form Labels
 - Table Headers
 - Table Values
 - Navigation elements (menus and menu links)
 - Tags
 - Icons
 - Images
- Tooltip margin is calculated from the bottom of the cursor.
- Tooltip is center aligned to the cursor

Tooltip specs:

margin-top: 14px;
 font-family:Roboto-Regular;
 font-size:12px;
 color:\$White;
 letter-spacing:0;
 background-color:\$Gray;
 text-align:center;
 padding: 7px 8px;

Lists

TBD

Tabs

PAGE TABS	
	General behavior:
	Page tabs specs:
TABLE TABS	
	General behavior:
	Table tabs specs: